



**2016 Green Building Standards Code
Non-Compliant Plumbing Fixture Replacement Requirements
Effective January 1, 2016**


2016 California Green Building Code 301.1.1

Effective January 1, 2016 all residential buildings undergoing permit alteration, additions, or improvements shall replace non-compliant plumbing fixtures with water-conserving plumbing fixtures. Plumbing fixture replacement is required prior to issuance of final completion, certificate of occupancy, or final permit approval by the local Building Department. See Civil Code Section 1101.1, et seq. for the definition of a non-compliant plumbing fixture, types of residential buildings affected and important enactment dates. **Applies to all structures finalized prior to January 1, 1994.**

Civil Code Section 1101.3(c)

"Noncompliant plumbing fixture means"

- (1) Any toilet manufactured to use more than 1.28 gallons of water per flush.
- (2) Any urinal manufactured that uses more than 1.25 gallons of water per flush.
- (3) Any showerhead manufactured to have a flow capacity of more than 2.0 gallons of water per minute.
- (4) Any lavatory faucet that emits more than 1.2 gallons of water per minute. Any kitchen faucet 1.8 gallons' water per minute.



Bathroom Faucets: _____ qty

Shower/Bathtub: _____ qty

Toilets/Urinals: _____ qty

Kitchen & all Other Faucets: _____ qty

I hereby certify that I have replaced or tested, or have had an individual under my direction replace or test all plumbing fixtures, covered by Civil Code Section 1101.3(c) for the address and permit number listed below:

Address: _____ Permit Number: _____

Applicant Name

Date

Applicant Signature

Date